Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
G. Attardi
S. Bernhard
J. E. Darnell
G. von Ehrenstein
G. Felsenfeld
W. Gilbert
J. Hurwitz
H. E. Huxley
A. D. Kaiser
A. Klug
G. E. Palade
D. C. Phillips
L. Stryer
C. Thomas
A. Tissières
J. Wyman

VOLUME 48
28 February 1970 to 28 March 1970

ACADEMIC PRESS
LONDON and NEW YORK

Per.
43 01
73

Copyright © 1970, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 48

NUMBER 1, 28 FEBRUARY 1970

LEE, C. S., DAVIS, R. W. and DAVIDSON, N., A Physical Study by Electron Microscopy of the Terminally Repetitious, Circularly Permuted DNA from the Coliphage Particles of *Escherichia coli* 15 1

BERNARDI, G., FAURES, M., PIPERNO, G. and SLONIMSKI, P. P., Mitochondrial DNA's from Respiratory-sufficient and Cytoplasmic Respiratory-deficient Mutant Yeast 23

BERNARDI, G. and TIMASHEFF, S. N., Optical Rotatory Dispersion and Circular Dichroism Properties of Yeast Mitochondrial DNA's 43

BAGDASARIAN, M., CIEŚLA, Z. and SENDECKI, W., Polyribosomes of the Histidine Operon in *Salmonella typhimurium* 53

RIGGS, A. D., SUZUKI, H. and BOURGEOIS, S., *lac* Repressor–Operator Interaction. I. Equilibrium Studies 67

KAHN, A., BOARDMAN, N. K. and THORNE, S. W., Energy Transfer between Protochlorophyllide Molecules: Evidence for Multiple Chromophores in the Photoactive Protochlorophyllide–Protein Complex *in vivo* and *in vitro*. 85

SCHNEIDER, F. W., RUSSELL, T. R. and RAWLINGS, P. K., Co-operative Subunit Protein Models and the Matrix Method 103

TAVALE, S. S. and SOBELL, H. M., Crystal and Molecular Structure of 8-Bromoguanosine and 8-Bromoadenosine, Two Purine Nucleosides in the *syn* Conformation 109

CATHOU, R. E. and O'KONSKI, C. T., A Transient Electric Birefringence Study of the Structure of Specific IgG Antibody 125

MCCORQUODALE, D. J. and LANNI, Y. T., Patterns of Protein Synthesis in *Escherichia coli* Infected by Amber Mutants in the First-step-transfer DNA of T5 133

SCHEFFLER, I. E., ELSON, E. L. and BALDWIN, R. L., Helix Formation by d(TA) Oligomers. II. Analysis of the Helix–Coil Transitions of Linear and Circular Oligomers 145

Appendix 165

LETTERS TO THE EDITOR—

REMY, P., ENGEL, M.-L., DIRHEIMER, G., EBEL, J.-P. and REVEL, M., Analogues of Nucleoside Polyphosphates. II. Guanosine-5′-phosphohypophosphate: Preparation and Effects on Protein Synthesis *in vitro* 173

Frydman, A., Cooke, M., Meynell, E. and Meynell, G. G., Repressor-insensitive Mutants of the F Sex Factor 177

Engelberg, H. and Artman, M., Studies on the Fate of Parental Bacteriophage RNA in the Host 181

Number 2, 14 March 1970

Adesnik, M. and Levinthal, C., RNA Metabolism in T4-infected *Escherichia coli* 187

Moody, E. E. M. and Lukin, A., Chromosome Transfer during Bacterial Mating 209

Tonegawa, S. and Hayashi, M., Intermediates in the Assembly of ϕX174 . 219

O'Brien, E. J. and MacEwan, A. W., Molecular and Crystal Structure of the Polynucleotide Complex: Polyinosinic Acid plus Polydeoxycytidylic Acid. 243

Simundza, G., Sakore, T. D. and Sobell, H. M., Base-pairing Configurations between Purines and Pyrimidines in the Solid State. V. Crystal and Molecular Structure of two 1:1 Hydrogen-bonded Complexes, 1-Methyluracil: 9-Ethyl-8-bromo-2,6-diaminopurine and 1-Ethylthymine: 9-Ethyl-8-bromo-2,6-diaminopurine 263

Dubin, D. T. and Montenecourt, B. S., Mitochondrial RNA from Cultured Animal Cells. Distinctive High-Molecular-Weight and 4 s Species . . 279

Hays, J. B. and Zimm, B. H., Flexibility and Stiffness in Nicked DNA . . 297

Corneo, G., Ginelli, E. and Polli, E., Repeated Sequences in Human DNA 319

Caro, L., Chromosome Replication in *Escherichia coli*. III. Segregation of Chromosomal Strands in Multi-forked Replication 329

Levitan, I. B. and Webb, T. E., Hydrocortisone-mediated Changes in the Concentration of Tyrosine Transaminase in Rat Liver: An Immunochemical Study 339

Sugiyama, T. and Nakada, D., Translational Control of Bacteriophage MS2 RNA Cistrons by MS2 Coat Protein: Affinity and Specificity of the Interaction of MS2 Coat Protein with MS2 RNA 349

Letters to the Editor—

Hancock, R., Separation by Equilibrium Centrifugation in CsCl Gradients of Density-labelled and Normal Deoxyribonucleoprotein from Chromatin 357

Stegen, U. and Hofschneider, P. H., Replication of the Single-stranded DNA Bacteriophage M13: Absence of Intracellular Phages . 361

Greer, J., Kaufman, H. W. and Kalb, A. J., An X-ray Crystallographic Study of Concanavalin A 365

NANNINGA, N., Electron Microscopy of Loosened 50 s Ribosomal Subunits of *Bacillus subtilis* 367

ANNOUNCEMENT 373

NUMBER 3, 28 MARCH 1970

CREWE, A. V. and WALL, J., A Scanning Microscope with 5 Å Resolution . 375

LETT, J. T., CALDWELL, I. and LITTLE, J. G., Repair of X-ray Damage to the DNA in *Micrococcus radiodurans*: the effect of 5-Bromodeoxyuridine . 395

FORGET, B. G. and VARRICCHIO, F., A Naturally Occurring 43 s Ribosomal Precursor Particle in *Escherichia coli*: Nature and Ribonucleic Acid Composition 409

KLAGSBRUN, M. and RICH, A., *In vitro* Synthesis of T4 Bacteriophage Head Protein using Polysomes of T4-infected *Escherichia coli* . . . 421

YOURNO, J., Nature of the Compensating Frameshift in the Double Frameshift Mutant *hisD3018* R5 of *Salmonella typhimurium* 437

NEEDLEMAN, S. B. and WUNSCH, C. D., A General Method Applicable to the Search for Similarities in the Amino Acid Sequence of Two Proteins . 443

LEFFLER, A. T., II, CRESKOFF, E., LUBORSKY, S. W., MCFARLAND, V. and MORA, P. T., Isolation and Characterization of Rat Liver Mitochondrial DNA . 455

SHIH, T. Y. and BONNER, J., Thermal Denaturation and Template Properties of DNA Complexes with Purified Histone Fractions 469

UDEM, L., RANNEY, H. M., BUNN, H. F. and PISCIOTTA, A., Some Observations on the Properties of Hemoglobin $M_{Milwaukee-1}$ 489

OTAKA, E., TERAOKA, H., TAMAKI, M., TANAKA, K. and OSAWA, S., Ribosomes from Erythromycin-resistant Mutants of *Escherichia coli* Q13 . . 499

LETTERS TO THE EDITOR—

TERAOKA, H., A Reversible Change in the Ability of *Escherichia coli* Ribosomes to Bind to Erythromycin 511

SHULMAN, R. G., PEISACH, J. and WYLUDA, B. J., Effects of Cyclopropane and Xenon upon the High-resolution Nuclear Magnetic Resonance Spectrum of Ferrimyoglobin Cyanide 517

MOSTELLER, R. D. and YANOFSKY, C., Transcription of the Tryptophan Operon in *Escherichia coli*: Rifampicin as an Inhibitor of Initiation . 525

ANNOUNCEMENTS 533

Digitized by the Internet Archive
in 2026

https://archive.org/details/journal-of-molecular-biology_1970_48_index-contents

Index to Volume 48

Adesnik, M. & Levinthal, C., RNA metabolism in T4-infected *Escherichia coli*, 187
Amber mutants in the first-step-transfer DNA of T5, patterns of protein synthesis in infected *Escherichia coli*, 133
Antibody, specific IgG, structural study using transient electric birefringence, 125
Artman, M. (see also Engelberg, H.), 181

Bacillus subtilis, electron microscopy of loosened 50 s ribosomal subunits, 367
Bacterial mating, chromosome transfer, 209
Bacteriophage, electron microscopic study of the terminally repetitious, circularly permuted DNA from the coliphage particles of *Escherichia coli* 15, 1
— MS2 RNA cistrons, translational control by MS2 coat protein, 349
— ϕX174, assembly intermediates, 219
— RNA, parental, studies on its fate in the host, 181
— T4 head protein, *in vitro* synthesis using polysomes of T4-infected *Escherichia coli*, 421
— — -infected *Escherichia coli*, RNA metabolism, 187
— T5, patterns of protein synthesis in *Escherichia coli* infected by amber mutants in the first-step-transfer DNA of T5, 133
Bagdasarian, M., Cieśla, Z. & Sendecki, W., Polyribosomes of the histidine operon in *Salmonella typhimurium*, 53
Baldwin, R. L. (see also Scheffler, L. E.), 145
Bernardi, G., Faures, M., Piperno, G. & Slonimsky, P., Mitochondrial DNA's from respiratory sufficient and cytoplasmic respiratory deficient mutant yeast, 23
— & Timasheff, S. N., Optical rotatory dispersion and circular dichroism properties of yeast mitochondrial DNA's, 43
Boardman, N. K. (see also Khan, A.), 85
Bonner, J. (see also Shih, T. Y.)., 469
Bourgeois, S. (see also Riggs, A. D.), 67
8-Bromoadenosine, crystal and molecular structure, 109
5-Bromodeoxyuridine, effect on repair of X-ray damage to the DNA in *Micrococcus radiodurans*, 395
8-Bromoguanosine, crystal and molecular structure, 109
Bunn, H. F. (see also Udem, L.), 489

Caldwell, I. (see also Lett, J. T.), 395
Caro, L., Chromosome replication in *Escherichia coli*, III. Segregation of chromosomal strands in multi-forked replication, 329
Cathou, R. E. & O'Konski, C. T., A transient electric birefringence study of the structure of specific IgG antibody, 125
Chromophores, evidence for multiple chromophores in the photoactive protochlorophyllide–protein complex *in vivo* and *in vitro*, 85
Chromosome transfer during bacterial mating, 209
Cieśla, Z. (see also Bagdasarian, M.), 53
Circular dichroism and optical-rotatory dispersion properties of yeast mitochondrial DNA's, 43
Coat protein of bacteriophage MS2, affinity and specificity of the interaction with MS2 RNA, 349
Concanavalin A, X-ray crystallographic study, 365
Cooke, M. (see also Frydman, A.), 177
Co-operative subunit protein models and the matrix method, 103
Corneo, G., Ginelli, E. & Polli, E., Repeated sequences in human DNA, 319
Creskoff, E. (see also Leffler, A. T., II), 455
Crewe, A. V. & Wall, J., A scanning microscope with 5 Å resolution, 375

Crystal and molecular structure of 8-bromoguanosine and 8-bromoadenosine, two purine nucleosides in the *syn* conformation, 109
— — — — — the polynucleotide complex polyinosinic acid and polydeoxycytidylic acid, 243
— — — — — two 1:1 hydrogen-bonded complexes, 1-methyluracil: 9-ethyl-8-bromo-2, 6-diaminopurine and 1-ethylthymine: 9-ethyl-8-bromo-2, 6-diaminopurine, 263
Cytoplasmic respiratory-deficient and respiratory-sufficient mutant yeast mitochondrial DNA's, 23

Davidson, N. (see also Lee, C. S.), 1
Davis, R. W. (see also Lee, C. S.), 1
Deoxyribonucleic acid complexes with purified histone fractions, thermal denaturation and template properties, 469
— —, mitochondrial, from respiratory-sufficient and cytoplasmic respiratory-deficient mutant yeast, 23
— —, nicked, flexibility and stiffness, 297
— —, patterns of protein synthesis in *Escherichia coli* infected by amber mutants in the first-step-transfer DNA of T5, 133
— —, rat liver mitochondrial, isolation and characterization, 455
— —, repeated sequences in human DNA, 319
— —, terminally repetitious, circularly permuted from the coliphage particles of *Escherichia coli* 15 studied by electron microscopy, 1
— —, yeast mitochondrial, optical-rotatory dispersion and circular dichroism properties, 43
Dirheimer, G. (see also Remy, P.), 173
Dubin, D. T. & Montenecourt, B. S., Mitochondrial RNA from cultured animal cells. Distinctive high-molecular-weight and 4 s species, 279

Ebel, J.-P. (see also Remy, P.), 173
Electron microscopic study of the terminally repetitious, circularly permuted DNA from the coliphage particles of *Escherichia coli* 15, 1
Electron microscopy of loosened 50 s ribosomal subunits of *Bacillus subtilis*, 367
Engel, M. I. (see also Remy, P.), 173
Engelberg, H. & Artman, M., Studies on the fate of parental bacteriophage RNA in the host, 181
Elson, E. L. (see also Scheffler, L. E.), 145
Erythromycin-resistant mutants of *Escherichia coli* Q13, ribosomes, 499
Escherichia coli coliphage particle terminally repetitious, circularly permuted DNA studied by electron microscopy, 1
— — infected by amber mutants in the first-step-transfer DNA of T5, patterns of protein synthesis, 133
— —, nature and RNA composition of a naturally-occurring 43 s ribosomal precursor particle, 409
— — Q13, ribosomes from erythromycin-resistant mutants, 499
— — ribosomes, reversible change in ability to bind erythromycin, 511
— —, T4-infected, polysomes used in *in vitro* synthesis of T4 bacteriophage head protein, 421
— —, — - —, RNA metabolism, 187
— —, transcription of the tryptophan operon: rifampicin as an inhibitor of initiation, 525
1-Ethylthymine: 9-ethyl-8-bromo-2, 6-diaminopurine, a 1:1 hydrogen-bonded complex, crystal and molecular structure, 263

Faures, M. (see also Bernardi, G.), 23
Forget, B. G. & Varricchio, F., A naturally-occurring 43 s ribosomal precursor particle in *Escherichia coli*: nature and ribonucleic acid composition, 409
Frameshift, nature of the compensating frameshift in the double frameshift mutant *hisD3018* R5 of *Salmonella typhimurium*, 437
Frydman, A., Cooke, M., Meynell, E. & Meynell, G. G., Repressor-insensitive mutants of the F sex factor, 177

Ginelli, E. (see also Corneo, G.), 319
Greer, J., Kaufman, H. W. & Kalb, A. J., An X-ray crystallographic study of concanavalin A, 365
Guanosine-5′-phosphohypophosphate, preparation and effects on protein synthesis *in vitro*, 173

Hancock, R., Separation by equilibrium centrifugation in CsCl gradients of density-labelled and normal deoxyribonucleoprotein from chromatin, 357
Hayashi, M. (see also Tonegawa, S.), 219
Hays, J. B. & Zimm, B. H., Flexibility and stiffness in nicked DNA, 297
Helix–coil transitions of linear and circular d(TA) oligomers, 145
Histidine operon, polyribosomes in *Salmonella typhimurium*, 53
Histone fractions, purified, complexed with DNA, thermal denaturation and template properties, 469
Hofschneider, P. H. (see also Stegen, U.), 361
Human DNA, repeated sequences, 319
Hydrocortisone-mediated changes in the concentration of tyrosine transaminase in rat liver, an immunochemical study, 339

IgG (see Immunoglobulin), 125
Immunoglobulin, a transient electric-birefringence study of the structure of specific IgG antibody, 125
Initiation of transcription of the tryptophan operon in *Escherichia coli* is inhibited by rifampicin, 525

Kalb, A. J. (see also Greer, J.), 365
Kaufman, H. W. (see also Greer, J.), 365
Khan, A., Boardman, N. K. & Thorne, S. W., Energy transfer between protochlorophyllide molecules: evidence for multiple chromophores in the photoactive protochlorophyllide–protein complex *in vivo* and *in vitro*, 85
Klagsbrun, M. & Rich, A., *In vitro* synthesis of T4 bacteriophage head protein using polysomes of T4-infected *Escherichia coli*, 421

lac repressor–operator interaction, equilibration studies, 67
Lanni, Y. T. (see also McCorquodale, D. J.), 133
Lee, C. S., Davis, R. W. & Davidson, N., A physical study by electron microscopy of the terminally repetitious, circularly permuted DNA from the coliphage particles of *Escherichia coli* 15, 1
Leffler, A. T., II, Creskoff, E., Luborsky, S. W., McFarland, V. & Mora, P. T., Isolation and characterization of rat liver mitochondrial DNA, 455
Lett, J. T., Caldwell, I. & Little, J. G., Repair of X-ray damage to the DNA in *Micrococcus radiodurans:* the effect of 5-bromodeoxyuridine, 395
Levinthal, C. (see also Adesnik, M.), 187
Levitan, I. B. & Webb, T. E., Hydrocortisone-mediated changes in the concentration of tyrosine transaminase in rat liver: an immunochemical study, 339
Little, J. G. (see also Lett, J. T.), 395
Liver mitochondrial DNA, rat, isolation and characterization, 455
— tyrosine transaminase, rat, an immunochemical study of hydrocortisone-mediated changes in concentration, 339
Luborsky, S. W. (see also Leffler, A. T., II), 455
Lukin, A. (see also Moody, E. E. M.), 209

MS2 (see Bacteriophage), 349
MacEwan, A. W. (see also O'Brien, E. J.), 243
McCorquodale, D. J. & Lanni, Y. T., Patterns of protein synthesis in *Escherichia coli* infected by amber mutants in the first-step-transfer DNA of T5, 133
McFarland, V. (see also Leffler, A. T., II), 455

Matrix method for co-operative subunit protein models, 103
1-Methyluracil: 9-ethyl-8-bromo-2, 6-diaminopurine, a 1:1 hydrogen-bonded complex, crystal and molecular structure, 263
Meynell, E. (see also Frydman, A.), 177
Meynell, G. G. (see also Frydman, A.), 177
Micrococcus radiodurans, effect of 5-bromodeoxyuridine on the repair of X-ray damage to DNA, 395
Mitochondrial DNA, rat liver, isolation and characterization, 455
Mitochondrial DNA's from respiratory-sufficient and cytoplasmic respiratory-deficient mutant yeast, 23
Mitochondrial DNA's of yeast, optical-rotatory dispersion and circular dichroism properties, 43
Mitochondrial RNA from cultured animal cells, distinctive high-molecular-weight and 4 s species, 279
Models of co-operative subunit proteins and the matrix method, 103
Montenecourt, B. S. (see also Dubin, D. T.), 279
Moody, E. E. M. & Lukin, A., Chromosome transfer during bacterial mating, 209
Mora, P. T. (see also Leffler, A. T., II), 455
Mosteller, R. & Yanofsky, C., Transcription of the tryptophan operon in *Escherichia coli*: rifampicin as an inhibitor of initiation, 525
Mutants of the F sex factor, repressor-insensitive, 177

Nakada, D. (see also Sugiyama, T.), 349
Nanninga, N., Electron microscopy of loosened 50 s ribosomal subunits of *Bacillus subtilis*, 367
Needleman, S. B. & Wunsch, C. D., A general method applicable to the search for similarities in the amino acid sequence of two proteins, 443

O'Brien, E. J. & MacEwan, A. W., Molecular and crystal structure of the polynucleotide complex: polyinosinic acid + polydeoxycytidylic acid, 243
O'Konski, C. T. (see also Cathou, R. E.), 125
Oligomers, d(TA), linear and circular, helix–coil transitions, 145
Operon for tryptophan, transcription in *Escherichia coli*, inhibition of initiation by rifampicin, 525
—, polyribosomes of the histidine operon in *Salmonella typhimurium*, 53
Optical-rotatory dispersion and circular dichroism properties of yeast mitochondrial DNA's, 43
Osawa, S. (see also Otaka, E.), 499
Otaka, E., Teraoka, H., Tamaki, M., Tanaka, K. & Osawa, S., Ribosomes from erythromycin-resistant mutants of *Escherichia coli* Q13, 499

ϕX174 (see Bacteriophage), 219
Parental bacteriophage RNA, fate in the host, 181
Peisach, J. (see also Shulman, R. G.), 517
Photoactive protochlorophyllide–protein complex, evidence for multiple chromophores *in vivo* and *in vitro*, 85
Piperno, G. (see also Bernardi, G.), 23
Pisciotta, A. (see also Udem, L.), 489
Polli, E. (see also Corneo, G.), 319
Polynucleotide complex of polyinosinic acid and polydeoxycytidylic acid, molecular and crystal structure, 243
Polyribosomes of the histidine operon in *Salmonella typhimurium*, 53
Polysomes of T4-infected *Escherichia coli* used in *in vitro* synthesis of T4 bacteriophage head protein, 421
Protein synthesis *in vitro*, effects of guanosine-5′-phosphohypophosphate, 173
Protochlorophyllide–protein complex, evidence for multiple chromophores in the photoactive complex *in vivo* and *in vitro*, 85
Purine nucleosides in the *syn* conformation, 8-bromoguanosine and 8-bromoadenosine, crystal and molecular structure, 109
Purines and pyrimidines, crystal and molecular structure of two 1:1 hydrogen-bonded complexes, 1-methyluracil: 9-ethyl-8-bromo-2, 6-diaminopurine and 1-ethylthymine: 9-ethyl-8-bromo-2, 6-diaminopurine, 263

Q13 (see *Escherichia coli*), 499

Ranney, H. M. (see also Udem, L.), 489
Rat liver mitochondrial DNA, isolation and characterization, 455
— — tyrosine transaminase, an immunochemical study of hydrocortisone-mediated changes in concentration, 339
Rawlings, P. K. (see also Schneider, F. W.), 103
Remy, P., Engel, M-L., Dirheimer, G., Ebel, J.-P. & Revel, M., Analogues of nucleoside polyphosphates, II. Guanosine-5′-phosphohypophosphate: preparation and effects on protein synthesis *in vitro*, 173
Repressor-insensitive mutants of the F sex factor, 177
— –operator interaction of the *lac* operon, equilibration studies, 67
Resolution of 5 Å obtained using a scanning microscope, 375
Revel, M. (see also Remy, P.), 173
Ribonucleic acid composition of a naturally-occurring 43 s ribosomal precursor particle in *Escherichia coli*, 409
— — metabolism in T4-infected *Escherichia coli*, 187
— —, mitochondrial, from cultured animal cells, distinctive high-molecular-weight and 4 s species, 279
— —, studies on the fate of parental bacteriophage RNA in the host, 181
— —, translational control of bacteriophage MS2 RNA cistrons by MS2 coat protein, 349
Ribosomal subunits, electron microscopy of loosened 50 s ribosomal subunits of *Bacillus subtilis*, 367
Ribosomes from erythromycin-resistant mutants of *Escherichia coli* Q13, 499
— of *Escherichia coli*, reversible change in ability to bind erythromycin, 511
Rich, A. (see also Klagsbrun, M.), 421
Rifampicin as an inhibitor of initiation during transcription of the tryptophan operon in *Escherichia coli*, 525
Riggs, A. D., Suzuki, H. & Bourgeois, S., *lac* repressor–operator interaction, I. Equilibrium studies, 67
Russell, T. R. (see also Schneider, F. W.), 103

Sakore, T. D. (see also Simundza, G.), 263
Salmonella typhimurium, nature of the compensating frameshift in the doub leframeshift mutant *hisD3018* R5, 437
— —, polyribosomes of the histidine operon, 53
Scanning microscope with 5 Å resolution, 375
Scheffler, L. E., Elson, E. L. & Baldwin, R. L., Helix formation by d(TA) oligomers. II. Analysis of the helix–coil transitions of linear and circular oligomers, 145
Schneider, F. W., Russell, T. R. & Rawlings, P. K., Co-operative subunit protein models and the matrix method, 103
Sendecki, W. (see also Bagdasarian, M.), 53
Sex factor, F, repressor-insensitive mutants, 177
Shih, T. Y. & Bonner, J., Thermal denaturation and template properties of DNA complexes with purified histone fractions, 469
Shulman, R. G., Peisach, J. & Wyluda, B. J., Effects of cyclopropane and xenon upon the high-resolution nuclear magnetic resonance spectrum of ferrimyoglobin cyanide, 517
Simundza, G., Sakore, T. D. & Sobell, H. M., Base-pairing configurations between purines and pyrimidines in the solid state, V. The crystal and molecular structure of two 1:1 hydrogen-bonded complexes, 1-methyluracil: 9-ethyl-8-bromo-2, 6-diaminopurine and 1-ethylthymine: 9-ethyl-8-bromo-2, 6-diaminopurine, 263
Slonimsky, P. (see also Bernardi, G.), 23
Sobell, H. M. (see also Simundza, G.), 263
— (see also Tavale, S. S.), 109
Stegen, U. & Hofschneider, P. H., Replication of the single-stranded DNA bacteriophage M13: absence of intracellular phages, 361
Sugiyama, T. & Nakada, D., Translational control of bacteriophage MS2 RNA cistrons by MS2 coat protein. Affinity and specificity of the interaction of MS2 coat protein with MS2 RNA, 349
Suzuki, H. (see also Riggs, A. D.), 67

T4 (see Bacteriophage)
Tamaki, M. (see also Otaka, E.), 499
Tanaka, K. (see also Otaka, E.), 499
Tavale, S. S. & Sobell, H. M., Crystal and molecular structure of 8-bromoguanosine and 8-bromoadenosine, two purine nucleosides in the *syn* conformation, 109
Teraoka, H., A reversible change in the ability of *Escherichia coli* ribosomes to bind to erythromycin, 511
— (see also Otaka, E.), 499
Thorne, S. W. (see also Khan, A.), 85
Timasheff, S. N. (see also Bernardi, G.), 43
Tonegawa, S. & Hayashi, M., Intermediates in the assembly of ϕX174, 219
Transient electric birefringence study of the structure of specific IgG antibody, 125
Tryptophan operon transcription in *Escherichia coli*, rifampicin as an inhibitor of initiation, 525
Tyrosine transaminase in rat liver, an immunochemical study of hydrocortisone-mediated changes in concentration, 339

Udem, L., Ranney, H. M., Bunn, H. F. & Pisciotta, A., Some observations on the properties of hemoglobin $M_{Milwaukee-1}$, 489

Varricchio, F. (see also Forget, B. G.), 409

Wall, J. (see also Crewe, A. V.), 375
Webb, T. E. (see also Levitan, I. B.), 339
Wunsch, C. D. (see also Needleman, S. B.), 443
Wyluda, B. J. (see also Shulman, R. G.), 517

X-ray damage to the DNA in *Micrococcus radiodurans*, effect of 5-bromodeoxyuridine on repair, 395
X-ray crystallographic study of concanavalin A, 365

Yanofsky, C. (see also Mosteller, R.), 525
Yeast, mitochondrial DNA's from respiratory-sufficient and cytoplasmic respiratory-deficient mutants, 23
— — —, optical-rotatory dispersion and circular dichroism properties, 43
Yourno, J., Nature of the compensating frameshift in the double frameshift mutant *hisD3018* R5 of *Salmonella typhimurium*, 437

Zimm, B. H. (see also Hays, J. B.), 297